


Standard motor unit & ceiling supports to be attached to C-channel** before construction of acoustic barrier & pocket.



**C-CHANNEL DESIGNATION:

NORTH & SOUTH = C8 x 11.5 AMERICA [C200 x 17] EUROPE = C200 x 75 ASIA = C200 x 80

NOTE:

C-CHANNEL IS INSTALLED WITH FLANGES UP.

NOTE: ALL SUPPORT STEEL IS BY OTHERS.

PRELIMINARY:

THIS DRAWING IS INTENDED AS A GUIDE. IN ALL CASES SKYFOLD SHOP DRAWINGS SPECIFIC TO EACH PROJECT ARE REQUIRED FOR FINAL BUILD-TO DIMENSIONS.




TYPICAL PREMIUM WALL Standard drive unit

SECTION: WALL UP

drawing no.

S7731-3 RO

Standard motor unit & ceiling supports to be attached to C-channel** before construction of acoustic barrier & pocket.





PRELIMINARY:

THIS DRAWING IS INTENDED AS A GUIDE. IN ALL CASES SKYFOLD SHOP DRAWINGS SPECIFIC TO EACH PROJECT ARE REQUIRED FOR FINAL BUILD-TO DIMENSIONS.


TYPICAL PREMIUM WALL Standard drive unit

SECTION: WALL DOWN

rawing no.

S7731-4 RO

N.1.5.






PRELIMINARY:

THIS DRAWING IS INTENDED AS A GUIDE. IN ALL CASES SKYFOLD SHOP DRAWINGS SPECIFIC TO EACH PROJECT ARE REQUIRED FOR FINAL BUILD-TO DIMENSIONS.

TYPICAL PREMIUM WALL Standard drive unit

END SEAL DETAIL

S7731-5 RO N.T.S.





PRELIMINARY:

THIS DRAWING IS INTENDED AS A GUIDE. IN ALL CASES SKYFOLD SHOP DRAWINGS SPECIFIC TO EACH PROJECT ARE REQUIRED FOR FINAL BUILD-TO DIMENSIONS.

TYPICAL PREMIUM WALL Standard drive unit

FLOOR SEAL DETAIL

drawing no. scale \$7731-6 RO N.T.S.