

DIMENSIONS FOR STANDARD DRIVE

FINISHED CEILING "A"	BEAM HEIGHT "B"	POCKET WIDTH "C"	PANEL HEIGHT "D"	NUMBER OF PANELS HIGH	WALL THICKNESS	MAX PANEL LENGTH ALL ZENITH PREMIUM MODELS
7'-0" 7'-6"	9'-2" 9'-8"	66 7/8" 70 7/8"	26 3/4" 28 3/4"	3 High + 1 Horizontal	11 3/4"	12'
7'-7" 8'-0" 8'-6" 9'-0" 9'-6" 10'-0"	9'-9" 10'-2 1/2" 10'-8 1/2" 11'-2 1/2" 11'-8 1/2" 12'-2 1/2"	56 3/4" 59 1/4" 62 1/4" 65 1/4" 68 1/4" 71 1/4"	21 11/16" 22 15/16" 24 7/16" 25 15/16" 27 7/16" 28 15/16"	4 High + 1 Horizontal	11 3/4"	12'
10'-1" 10'-6" 11'-0" 11'-6" 12'-0"	12'-9" 13'-2" 13'-8" 14'-4" 14'-10 1/4"	59 7/8" 61 7/8" 64 1/4" 66 5/8" 69 1/8"	23 1/4" 24 1/4" 25 7/16" 26 5/8" 27 7/8"	5 High + 1 Horizontal	11 3/4"	12'
12'-1" 12'-6" 13'-0" 13'-6" 14'-0"	14'-11 1/4" 15'-4" 15'-10" 16'-4" 16'-10"	60 61 5/8" 63 5/8" 65 5/8" 67 5/8"	23 5/16" 24 1/8" 25 1/8" 26 1/8" 27 1/8"	6 High + 1 Horizontal	11 3/4"	12'

* Beam heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions

DIMENSIONS FOR STANDARD DRIVE

FINISHED CEILING "A"	BEAM HEIGHT "B"	POCKET WIDTH "C"	PANEL HEIGHT "D"	NUMBER OF PANELS HIGH	WALL THICKNESS	MAX PANEL LENGTH ALL ZENITH PREMIUM MODELS
2135 2285	2795 2945	1700 1800	679.5 730.3	3 High + 1 Horizontal	300	3657
2310 2440 2590 2745 2895 3050	2970 3110 3265 3415 3570 3720	1440 1505 1580 1655 1735 1810	550.9 582.6 620.7 658.8 696.9 735.0	4 High + 1 Horizontal	300	3657
3075 3200 3355 3505 3660	3885 4015 4165 4370 4530	1520 1570 1630 1690 1755	590.6 616.0 646.1 676.3 708.0	5 High + 1 Horizontal	300	3657
3685 3810 3960 4115 4265	4555 4675 4825 4980 5130	1525 1565 1615 1665 1720	592.1 612.8 638.2 663.6 689.0	6 High + 1 Horizontal	300	3657

* Beam heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

ZENITH PREMIUM TECHNICAL DRAWING

