

# DIMENSIONS FOR STANDARD DRIVE SYSTEM PANELS ≤ 26.5"

FINISHED CEILING "A"	BEAM HEIGHT "B"	ACOUSTIC BARRIER "C"	POCKET DEPTH "D"	POCKET WIDTH "E"	PANEL HEIGHT "F"	NUMBER OF PANELS HIGH	WALL THICKNESS	MAX PANEL LENGTH			
								CLASSIC 51	CLASSIC NR	CLASSIC 55	CLASSIC 60
7'-0" 7'-6" 8'-0"	9'-2 1/4" 9'-8 1/4" 10'-2 1/4"	8'-2 1/2" 8'-8 1/2" 9'-2 1/2"	14 1/2" 14 1/2" 14 1/2"	56 3/4" 59 3/4" 62 3/4"	23 1/2" 25" 26 1/2"	4 Panels High	11 3/4"	12'	12'	12'	12'
8'-1" 8'-6" 9'-0" 9'-6" 10'-0"	10'-8 1/2" 11'-1 1/2" 11'-7 3/4" 12'-2" 12'-7"	9'-8" 10'-1" 10'-7 1/4" 11'-1 1/2" 11'-6 1/2"	20" 20" 20 1/4" 20 1/2" 19 1/2"	54 3/4" 56 3/4" 59 1/4" 61 3/4" 63 3/4"	22" 23" 24 1/4" 25 1/2" 26 1/2"	5 Panels High	11 3/4"	12'	12'	12'	12'
10'-1" 10'-6" 11'-0" 11'-6" 12'-0"	12'-9" 13'-2 1/4" 13'-8 1/4" 14'-2 1/4" 14'-8 1/4"	11'-9 1/4" 12'-2 1/2" 12'-8 1/2" 13'-2 1/2" 13'-8 1/2"	20 1/4" 20 1/2" 20 1/2" 20 1/2" 20 1/2"	55" 56 3/4" 58 3/4" 60 3/4" 62 3/4"	22 5/8" 23 1/2" 24 1/2" 25 1/2" 26 1/2"	6 Panels High	11 3/4"	12'	12'	12'	12'
12'-1" 12'-6" 13'-0" 13'-6" 14'-0"	15'-2 1/4" 15'-7 1/2" 16'-0 3/4" 16'-7 3/4" 17'-1"	14'-1 3/4" 14'-7" 15'-0 1/4" 15'-7 1/4" 16'-0 1/2"	25 3/4" 26" 25 1/4" 26 1/4" 25 1/2"	57 1/4" 58 3/4" 60 1/4" 62 1/4" 63 3/4"	23 1/4" 24" 24 3/4" 25 3/4" 26 1/2"	7 Panels High	11 3/4"	12'	12'	12'	12' for ≤ 3 panels wide, 10' for ≥ 4 panels wide
14'-1" 14'-6" 15'-0" 15'-6" 16'-0" 16'-1"	17'-2 1/4" 17'-7 1/4" 18'-1 1/4" 18'-7 1/4" 19'-1 1/4" 19'-2 1/4"	16'-2 1/2" 16'-7 1/2" 17'-1 1/2" 17'-7 1/2" 18'-1 1/2" 18'-2 1/2"	25 1/2" 25 1/2" 25 1/2" 25 1/2" 25 1/2" 25 1/2"	56 3/4" 58" 59 1/2" 61" 62 1/2" 62 3/4"	23 1/2" 24 1/8" 24 7/8" 25 5/8" 26 3/8" 26 1/2"	8 Panels High	11 3/4"	12'	12'	12'	12' for ≤ 3 panels wide, 10' for ≥ 4 panels wide
16'-2" 16'-6" 17'-0" 17'-6" 18'-0"	20'-1 3/4" 20'-6 1/4" 21'-1" 21'-7 3/4" 22'-0 1/4"	18'-8 1/2" 19'-1" 19'-7 3/4" 20'-2 1/2" 20'-7"	31 1/2" 32" 32 3/4" 33 1/2" 32"	58 3/4" 59 3/4" 61 1/4" 62 3/4" 63 3/4"	24" 24 1/2" 25 1/4" 26" 26 1/2"	9 Panels High	11 3/4"	12'	12'	12'	12' for ≤ 3 panels wide, 10' for ≥ 4 panels wide
18'-1" 18'-6" 19'-0" 19'-6" 20'-0"	22'-0 3/4" 22'-5 3/4" 23'-0" 23'-6 1/4" 24'-0 1/2"	20'-9 1/4" 21'-2 1/4" 21'-8 1/2" 22'-2 3/4" 22'-9"	32 1/4" 32 1/4" 32 1/2" 32 3/4" 33"	59" 60" 61 1/4" 62 1/2" 63 3/4"	24 1/8" 24 5/8" 25 1/4" 25 7/8" 26 1/2"	10 Panels High	11 3/4"	12'	12'	12'	10'

\* Beam heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

FINISHED CEILING "A"	BEAM HEIGHT "B"	ACOUSTIC BARRIER "C"	POCKET DEPTH "D"	POCKET WIDTH "E"	PANEL HEIGHT "F"	NUMBER OF PANELS HIGH	WALL THICKNESS	MAX PANEL LENGTH			
								CLASSIC 51	CLASSIC NR	CLASSIC 55	CLASSIC 60
20'-1" 20'-6" 21'-0" 21'-6" 22'-0"	24'-8 1/4" 24'-11" 25'-7 1/4" 26'-0 3/4" 26'-6 1/4"	23'-3" 23'-5 3/4" 24'-2" 24'-7 1/2" 25'-1"	39" 36 3/4" 39" 38 1/2" 38"	59 3/4" 60 1/4" 61 3/4" 62 3/4" 63 3/4"	24 1/2" 24 3/4" 25 1/2" 26" 26 1/2"	11 Panels High	11 3/4"	12'	12'	12'	8'
22'-1" 22'-6" 23'-0" 23'-6" 24'-0" 24'-2"	26'-5 3/4" 26'-11" 27'-5" 27'-11" 28'-5" 28'-6 1/2"	25'-2 1/4" 25'-7 1/2" 26'-1 1/2" 26'-7 1/2" 27'-1 1/2" 27'-3"	37 1/4" 37 1/2" 37 1/2" 37 1/2" 37 1/2" 37"	59 5/8" 60 1/2" 61 1/2" 62 1/2" 63 1/2" 63 3/4"	24 7/16" 24 7/8" 25 3/8" 25 7/8" 26 3/8" 26 1/2"	12 Panels High	11 3/4"	12'	10'	10'	8'
24'-3" 24'-6" 25'-0" 25'-6" 26'-0"	29'-2 1/2" 29'-5 3/4" 30'-0 1/4" 30'-6 3/4" 31'-1 1/4"	27'-8 1/4" 27'-11 1/2" 28'-6" 29'-0 1/2" 29'-7"	42 1/4" 42 1/2" 43" 43 1/2" 44"	61 1/4" 61 3/4" 62 3/4" 63 3/4" 64 3/4"	24 3/4" 25" 25 1/2" 26" 26 1/2"	13 Panels High	11 3/4"	10'	10'	10'	8'
26'-1" 26'-6" 27'-0" 27'-6" 28'-0" 28'-2"	31'-0 3/4" 31'-6" 31'-11 1/4" 32'-6 1/4" 32'-11 1/2" 33'-1 1/4"	29'-8 1/2" 30'-1 3/4" 30'-7" 31'-2" 31'-7 1/4" 31'-9"	43 1/2" 43 3/4" 43" 44" 43 1/4" 43"	61 1/4" 62" 62 3/4" 63 3/4" 64 1/2" 64 3/4"	24 3/4" 25 1/8" 25 1/2" 26" 26 3/8" 26 1/2"	14 Panels High	11 3/4"	10'	8'	8'	8'
28'-3" 28'-6" 29'-0" 29'-6" 30'-0"	33'-8 3/4" 34'-0" 34'-7 1/2" 34'-11 1/4" 35'-6 3/4"	32'-2 1/2" 32'-6 1/4" 33'-1 3/4" 33'-5 1/2" 34'-1"	48 1/2" 49 1/4" 50 3/4" 48 1/2" 50"	61 3/4" 62 1/4" 63 1/4" 63 3/4" 64 3/4"	25" 25 1/4" 25 3/4" 26" 26 1/2"	15 Panels High	11 3/4"	10'	8'	8'	N/A
30'-1" 30'-6" 31'-0" 31'-6" 32'-0" 32'-2"	35'-9" 36'-2" 36'-8" 37'-2" 37'-8" 37'-10"	34'-2" 34'-7" 35'-1" 35'-7" 36'-1" 36'-3"	49" 49" 49" 49" 49" 49"	61 5/8" 62 1/4" 63" 63 3/4" 64 1/2" 64 3/4"	24 15/16" 25 1/4" 25 5/8" 26" 26 3/8" 26 1/2"	16 Panels High	11 3/4"	8'	8'	8'	N/A
32'-3" 32'-6" 33'-0" 33'-6" 34'-0" 34'-2"	38'-5 1/2" 38'-9 3/4" 39'-2" 39'-6 1/4" 40'-2 3/4" 40'-2 3/4"	36'-9 3/4" 37'-2" 37'-6 1/4" 37'-10 1/2" 38'-7" 38'-7"	55 3/4" 57" 55 1/4" 53 1/2" 56" 54"	62 1/4" 62 3/4" 63 1/4" 63 3/4" 64 3/4" 64 3/4"	25 1/4" 25 1/2" 25 3/4" 26" 26 1/2" 26 1/2"	17 Panels High	11 3/4"	8'	8'	8'	N/A
34'-3" 34'-6" 35'-0" 35'-6" 36'-0"	40'-5 1/2" 40'-10" 41'-4 3/4" 41'-9 1/4" 42'-4"	38'-8 1/4" 39'-0 3/4" 39'-7 1/2" 40'-0" 40'-6 3/4"	53 1/4" 54 3/4" 55 1/2" 54" 54 3/4"	62" 62 1/2" 63 1/4" 63 3/4" 64 1/2"	25 1/8" 25 3/8" 25 3/4" 26" 26 3/8"	18 Panels High	11 3/4"	8'	7'	7'	N/A

\* Beam heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# DIMENSIONS FOR STANDARD DRIVE SYSTEM PANELS ≤ 673mm

FINISHED CEILING "A"	BEAM HEIGHT "B"	ACOUSTIC BARRIER "C"	POCKET DEPTH "D"	POCKET WIDTH "E"	PANEL HEIGHT "F"	NUMBER OF PANELS HIGH	WALL THICKNESS	MAX PANEL LENGTH			
								CLASSIC 51	CLASSIC NRC	CLASSIC 55	CLASSIC 60
2150 2200 2250 2300 2350 2400 2440	2855 2895 2955 3005 3055 3105 3130	2530 2575 2630 2680 2730 2785 2810	380 375 380 380 380 385 370	1455 1480 1505 1530 1555 1585 1595	603 614 629 641 654 667 673	4 Panels High	300	3655	3655	3655	3655
2450 2500 2550 2600 2650 2700 2750 2800 2850 2900 2950 3000 3050	3275 3325 3370 3420 3465 3515 3570 3615 3670 3720 3770 3825 3860	2930 2980 3025 3075 3125 3170 3225 3275 3330 3375 3425 3480 3520	505 505 500 500 500 495 500 500 505 500 505 505 495	1385 1405 1425 1445 1460 1480 1505 1520 1545 1565 1585 1605 1620	556 565 575 584 594 603 614 624 635 645 655 665 673	5 Panels High	300	3655	3655	3655	3655
3075 3200 3350 3500 3650 3660	3915 4045 4200 4350 4505 4505	3590 3725 3875 4030 4180 4180	515 525 525 530 530 520	1400 1445 1495 1545 1595 1595	575 597 622 648 673 673	6 Panels High	300	3655	3655	3655	3655
3680 3800 3950 4100 4250 4265	4635 4755 4910 5065 5210 5235	4290 4415 4570 4725 4870 4890	635 640 645 650 645 650	1450 1485 1530 1575 1615 1620	587 605 627 649 670 673	7 Panels High	300	3655	3655	3655	3655 for ≤ 3 panels wide, 3050 for ≥ 4 panels wide
4295 4400 4550 4700 4850 4900	5265 5365 5520 5670 5825 5875	4940 5045 5195 5350 5500 5550	645 645 645 650 650 650	1445 1470 1505 1545 1585 1595	597 610 629 648 667 673	8 Panels High	300	3655	3655	3655	3655 for ≤ 3 panels wide, 3050 for ≥ 4 panels wide
4930 5000 5150 5300 5450 5485	6155 6230 6385 6530 6685 6715	5720 5790 5945 6090 6245 6275	815 815 820 815 820 815	1495 1515 1550 1580 1615 1620	611 619 637 652 670 673	9 Panels High	300	3655	3655	3655	3655 for ≤ 3 panels wide, 3050 for ≥ 4 panels wide
5510 5600 5750 5900 6050 6095	6725 6820 6965 7125 7265 7330	6330 6430 6570 6730 6870 6935	820 830 820 830 820 840	1500 1520 1550 1580 1610 1620	613 622 637 652 667 673	10 Panels High	300	3655	3655	3655	3050

\* Beam heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

FINISHED CEILING "A"	BEAM HEIGHT "B"	ACOUSTIC BARRIER "C"	POCKET DEPTH "D"	POCKET WIDTH "E"	PANEL HEIGHT "F"	NUMBER OF PANELS HIGH	WALL THICKNESS	MAX PANEL LENGTH			
								CLASSIC 51	CLASSIC NRC	CLASSIC 55	CLASSIC 60
6120 6200 6350 6500 6650 6705	7525 7560 7720 7860 8015 8085	7090 7125 7280 7420 7575 7645	995 950 955 945 950 965	1520 1525 1555 1580 1610 1620	622 625 640 652 667 673	11 Panels High	300	3655	3655	3655	2440
6730 6800 6950 7100 7250 7365	8070 8150 8300 8455 8605 8700	7680 7755 7905 8060 8210 8305	950 955 955 960 960 940	1515 1530 1555 1580 1605 1620	621 627 640 652 665 673	12 Panels High	300	3655	3050	3050	2440
7400 7550 7700 7850 7925	8925 9070 9235 9380 9480	8460 8605 8770 8915 9020	1085 1080 1095 1090 1120	1560 1585 1610 1630 1645	630 641 654 665 673	13 Panels High	300	3050	3050	3050	2440
7950 8000 8150 8300 8450 8585	9470 9515 9670 9825 9980 10090	9055 9100 9255 9410 9570 9680	1105 1100 1105 1110 1120 1095	1555 1565 1585 1610 1630 1645	629 632 643 654 665 673	14 Panels High	300	3050	2440	2440	2440
8600 8750 8900 9050 9145	10270 10410 10555 10720 10840	9820 9960 10105 10270 10390	1245 1235 1230 1245 1270	1570 1590 1610 1630 1645	635 645 654 665 673	15 Panels High	300	3050	2440	2440	N/A
9170 9200 9350 9500 9650 9800	10900 10925 11075 11230 11380 11535	10415 10440 10595 10745 10900 11050	1245 1240 1245 1245 1250 1250	1565 1570 1590 1610 1625 1645	633 635 645 654 664 673	16 Panels High	300	2440	2440	2440	N/A
9830 9950 10100 10250 10400 10415	11725 11805 11940 12100 12265 12265	11220 11305 11440 11600 11760 11760	1415 1380 1365 1375 1385 1370	1585 1590 1610 1625 1645 1645	641 646 654 664 673 673	17 Panels High	300	2440	2440	2440	N/A
10440 10550 10700 10850 10975 11000	12335 12475 12620 12760 12905 12960	11795 11935 12080 12220 12365 12420	1355 1385 1380 1370 1390 1420	1575 1590 1610 1625 1640 1645	638 646 654 662 670 673	18 Panels High	300	2440	2135	2135	N/A

\* Beam heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# DIMENSIONS FOR MICRO DRIVE SYSTEM

## 4 Panels High

FINISHED CEILING "A"	BEAM HEIGHT "B"	ACOUSTIC BARRIER "C"	POCKET DEPTH "D"	POCKET WIDTH "E"	PANEL HEIGHT "F"	WALL THICKNESS
7'-0" 7'-1" 7'-2"	8'-11 1/4" 9'-0 1/4" 9'-1 1/4"	8'-2 1/4" 8'-3 1/4" 8'-4 1/4"	14 1/4" 14 1/4" 14 1/4"	56 5/8" 57 1/8" 57 5/8"	23 7/16" 23 11/16" 23 15/16"	11 3/4" 11 3/4" 11 3/4"
7'-3" 7'-4" 7'-5"	9'-2 1/4" 9'-3 1/4" 9'-4 1/4"	8'-5 1/4" 8'-6 1/4" 8'-7 1/4"	14 1/4" 14 1/4" 14 1/4"	58 1/8" 58 5/8" 59 1/8"	24 3/16" 24 7/16" 24 11/16"	11 3/4" 11 3/4" 11 3/4"
7'-6" 7'-7" 7'-8"	9'-5 1/4" 9'-6 1/4" 9'-7 1/4"	8'-8 1/4" 8'-9 1/4" 8'-10 1/4"	14 1/4" 14 1/4" 14 1/4"	59 5/8" 60 1/8" 60 5/8"	24 15/16" 25 3/16" 25 7/16"	11 3/4" 11 3/4" 11 3/4"
7'-9" 7'-10" 7'-11"	9'-8 1/4" 9'-9 1/4" 9'-10 1/4"	8'-11 1/4" 9'-0 1/4" 9'-1 1/4"	14 1/4" 14 1/4" 14 1/4"	61 1/8" 61 5/8" 62 1/8"	25 11/16" 25 15/16" 26 3/16"	11 3/4" 11 3/4" 11 3/4"
8'- 0" 8'- 1" 8'- 2"	9'- 11 1/4" 10'- 0 1/4" 10'- 1 1/4"	9'-2 1/4" 9'-3 1/4" 9'-4 1/4"	14 1/4" 14 1/4" 14 1/4"	62 5/8" 63 1/8" 63 5/8"	26 7/16" 26 11/16" 26 15/16"	11 3/4" 11 3/4" 11 3/4"
8'- 3" 8'- 4" 8'- 5"	10'- 2 1/4" 10'- 3 1/4" 10'- 4 1/4"	9'-5 1/4" 9'-6 1/4" 9'-7 1/4"	14 1/4" 14 1/4" 14 1/4"	64 1/8" 64 5/8" 65 1/8"	27 3/16" 27 7/16" 27 11/16"	11 3/4" 11 3/4" 11 3/4"
8'- 6" 8'- 7" 8'- 8"	10'- 5 1/4" 10'- 6 1/4" 10'- 7 1/4"	9'-8 1/4" 9'-9 1/4" 9'-10 1/4"	14 1/4" 14 1/4" 14 1/4"	65 5/8" 66 1/8" 66 5/8"	27 15/16" 28 3/16" 28 7/16"	11 3/4" 11 3/4" 11 3/4"
8'- 9" 8'- 10" 8'- 11" 9'- 0"	10'- 8 1/4" 10'- 9 1/4" 10'- 10 1/4" 10'- 11 1/4"	9'-11 1/4" 10'-0 1/4" 10'-1 1/4" 10'-2 1/4"	14 1/4" 14 1/4" 14 1/4" 14 1/4"	67 1/8" 67 5/8" 68 1/8" 68 5/8"	28 11/16" 28 15/16" 29 3/16" 29 7/16"	11 3/4" 11 3/4" 11 3/4" 11 3/4"

Walls ranging in length from 11'-10" long to 36'-0" long.

Walls greater than 24'-0" long - add an additional 1" onto the beam & hanger adjustment.

**\* Beam heights indicated may vary with wall size and motor size.**

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# DIMENSIONS FOR MICRO DRIVE SYSTEM

## 4 Panels High

FINISHED CEILING "A"	BEAM HEIGHT "B"	ACOUSTIC BARRIER "C"	POCKET DEPTH "D"	POCKET WIDTH "E"	PANEL HEIGHT "F"	WALL THICKNESS
2135 2160 2185	2750 2775 2800	2500 2525 2550	365 365 365	1440 1450 1465	595 602 608	300 300 300
2210 2235 2260	2825 2850 2875	2575 2600 2625	365 365 365	1480 1490 1505	614 621 627	300 300 300
2285 2310 2335	2900 2925 2950	2650 2675 2700	365 365 365	1515 1530 1540	633 640 646	300 300 300
2360 2390 2415	2975 3005 3030	2725 2755 2780	365 365 365	1555 1565 1580	653 659 665	300 300 300
2440 2465 2490	3055 3080 3105	2805 2830 2855	365 365 365	1590 1605 1615	672 678 684	300 300 300
2515 2540 2565	3130 3155 3180	2880 2905 2930	365 365 365	1630 1640 1655	691 697 703	300 300 300
2590 2615 2640	3205 3230 3255	2955 2980 3005	365 365 365	1665 1680 1690	710 716 722	300 300 300
2665 2690 2715 2740	3280 3305 3330 3355	3030 3055 3080 3105	365 365 365 365	1705 1720 1730 1745	729 735 741 748	300 300 300 300

Measurements are based on a C200x80.

Walls ranging in length from 3605mm long to 10980mm long.

Walls greater than 7315mm long - add an additional 25mm onto the beam height.

**\* Beam heights indicated may vary with wall size and motor size.**

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# CLASSIC SERIES TECHNICAL DRAWING

