

# DIMENSIONS FOR STANDARD DRIVE SYSTEM PANELS ≤ 26.5"

| BOTTOM OF POCKET "A"                                     | *BOTTOM OF SUPPORT STEEL "B"   | ACOUSTIC BARRIER "C"   | POCKET DEPTH "D"   | POCKET WIDTH "E"                                       | PANEL HEIGHT "F"   | NUMBER OF PANELS HIGH | WALL THICKNESS | MAX PANEL LENGTH |             |            |  |
|--|--|--|--|--|--|-----------------------|----------------|------------------|-------------|------------|--|
|  |  |  |  |  |  |                       |                | CLASSIC 51       | CLASSIC NRC | CLASSIC 55 | CLASSIC 60                                       |
| 7'-0"<br>7'-6"<br>8'-0"                                  | 9'-2 1/4"<br>9'-8 1/4"<br>10'-2 1/4"   | 8'-2 1/2"<br>8'-8 1/2"<br>9'-2 1/2"  | 14 1/2"<br>14 1/2"<br>14 1/2"                                  | 56 3/4"<br>59 3/4"<br>62 3/4"                          | 23 1/2"<br>25"<br>26 1/2"                                      | 4<br>Panels High      | 11 3/4"        | 12'              | 12'         | 12'        | 12'  |
| 8'-1"<br>8'-6"<br>9'-0"<br>9'-6"<br>10'-0"               | 10'-8 1/2"<br>11'-1 1/2"<br>11'-7 3/4"<br>12'-2"<br>12'-7"                       | 9'-8"<br>10'-1"<br>10'-7 1/4"<br>11'-1 1/2"<br>11'-6 1/2"                        | 20"<br>20"<br>20 1/4"<br>20 1/2"<br>19 1/2"                    | 54 3/4"<br>56 3/4"<br>59 1/4"<br>61 3/4"<br>63 3/4"    | 22"<br>23"<br>24 1/4"<br>25 1/2"<br>26 1/2"                    | 5<br>Panels High      | 11 3/4"        | 12'              | 12'         | 12'        | 12'  |
| 10'-1"<br>10'-6"<br>11'-0"<br>11'-6"<br>12'-0"           | 12'-9"<br>13'-2 1/4"<br>13'-8 1/4"<br>14'-2 1/4"<br>14'-8 1/4"                   | 11'-9 1/4"<br>12'-2 1/2"<br>12'-8 1/2"<br>13'-2 1/2"<br>13'-8 1/2"               | 20 1/4"<br>20 1/2"<br>20 1/2"<br>20 1/2"<br>20 1/2"            | 55"<br>56 3/4"<br>58 3/4"<br>60 3/4"<br>62 3/4"        | 22 5/8"<br>23 1/2"<br>24 1/2"<br>25 1/2"<br>26 1/2"            | 6<br>Panels High      | 11 3/4"        | 12'              | 12'         | 12'        | 12'  |
| 12'-1"<br>12'-6"<br>13'-0"<br>13'-6"<br>14'-0"           | 15'-2 1/4"<br>15'-7 1/2"<br>16'-0 3/4"<br>16'-7 3/4"<br>17'-1"                   | 14'-1 3/4"<br>14'-7"<br>15'-0 1/4"<br>15'-7 1/4"<br>16'-0 1/2"                   | 25 3/4"<br>26"<br>25 1/4"<br>26 1/4"<br>25 1/2"                | 57 1/4"<br>58 3/4"<br>60 1/4"<br>62 1/4"<br>63 3/4"    | 23 1/4"<br>24"<br>24 3/4"<br>25 3/4"<br>26 1/2"                | 7<br>Panels High      | 11 3/4"        | 12'              | 12'         | 12'        | 12' for ≤ 3 panels wide, 10' for ≥ 4 panels wide |
| 14'-1"<br>14'-6"<br>15'-0"<br>15'-6"<br>16'-0"<br>16'-1" | 17'-2 1/4"<br>17'-7 1/4"<br>18'-1 1/4"<br>18'-7 1/4"<br>19'-1 1/4"<br>19'-2 1/4" | 16'-2 1/2"<br>16'-7 1/2"<br>17'-1 1/2"<br>17'-7 1/2"<br>18'-1 1/2"<br>18'-2 1/2" | 25 1/2"<br>25 1/2"<br>25 1/2"<br>25 1/2"<br>25 1/2"<br>25 1/2" | 56 3/4"<br>58"<br>59 1/2"<br>61"<br>62 1/2"<br>62 3/4" | 23 1/2"<br>24 1/8"<br>24 7/8"<br>25 5/8"<br>26 3/8"<br>26 1/2" | 8<br>Panels High      | 11 3/4"        | 12'              | 12'         | 12'        | 12' for ≤ 3 panels wide, 10' for ≥ 4 panels wide |
| 16'-2"<br>16'-6"<br>17'-0"<br>17'-6"<br>18'-0"           | 20'-1 3/4"<br>20'-6 1/4"<br>21'-1"<br>21'-7 3/4"<br>22'-0 1/4"                   | 18'-8 1/2"<br>19'-1"<br>19'-7 3/4"<br>20'-2 1/2"<br>20'-7"                       | 31 1/2"<br>32"<br>32 3/4"<br>33 1/2"<br>32"                    | 58 3/4"<br>59 3/4"<br>61 1/4"<br>62 3/4"<br>63 3/4"    | 24"<br>24 1/2"<br>25 1/4"<br>26"<br>26 1/2"                    | 9<br>Panels High      | 11 3/4"        | 12'              | 12'         | 12'        | 12' for ≤ 3 panels wide, 10' for ≥ 4 panels wide |
| 18'-1"<br>18'-6"<br>19'-0"<br>19'-6"<br>20'-0"           | 22'-0 3/4"<br>22'-5 3/4"<br>23'-0"<br>23'-6 1/4"<br>24'-0 1/2"                   | 20'-9 1/4"<br>21'-2 1/4"<br>21'-8 1/2"<br>22'-2 3/4"<br>22'-9"                   | 32 1/4"<br>32 1/4"<br>32 1/2"<br>32 3/4"<br>33"                | 59"<br>60"<br>61 1/4"<br>62 1/2"<br>63 3/4"            | 24 1/8"<br>24 5/8"<br>25 1/4"<br>25 7/8"<br>26 1/2"            | 10<br>Panels High     | 11 3/4"        | 12'              | 12'         | 12'        | 10'  |

\* Support steel heights indicated may vary with wall size and motor size.  
This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

| BOTTOM OF POCKET "A"   | *BOTTOM OF SUPPORT STEEL "B"   | ACOUSTIC BARRIER "C"   | POCKET DEPTH "D"   | POCKET WIDTH "E"   | PANEL HEIGHT "F"  | NUMBER OF PANELS HIGH | WALL THICKNESS | MAX PANEL LENGTH |             |            |            |
|--|--|--|--|--|---|-----------------------|----------------|------------------|-------------|------------|------------|
|  |  |  |  |  |   |                       |                | CLASSIC 51       | CLASSIC NRC | CLASSIC 55 | CLASSIC 60 |
| 20'-1"<br>20'-6"<br>21'-0"<br>21'-6"<br>22'-0"                 | 24'-8 1/4"<br>24'-11"<br>25'-7 1/4"<br>26'-0 3/4"<br>26'-6 1/4"                | 23'-3"<br>23'-5 3/4"<br>24'-2"<br>24'-7 1/2"<br>25'-1"                       | 39"<br>36 3/4"<br>39"<br>38 1/2"<br>38"                    | 59 3/4"<br>60 1/4"<br>61 3/4"<br>62 3/4"<br>63 3/4"            | 24 1/2"<br>24 3/4"<br>25 1/2"<br>26"<br>26 1/2"                 | 11<br>Panels High     | 11 3/4"        | 12'              | 12'         | 12'        | 8'         |
| 22'- 1"<br>22'- 6"<br>23'- 0"<br>23'- 6"<br>24'- 0"<br>24'- 2" | 26'-5 3/4"<br>26'-11"<br>27'-5"<br>27'-11"<br>28'-5"<br>28'-6 1/2"             | 25'-2 1/4"<br>25'-7 1/2"<br>26'-1 1/2"<br>26'-7 1/2"<br>27'-1 1/2"<br>27'-3" | 37 1/4"<br>37 1/2"<br>37 1/2"<br>37 1/2"<br>37 1/2"<br>37" | 59 5/8"<br>60 1/2"<br>61 1/2"<br>62 1/2"<br>63 1/2"<br>63 3/4" | 24 7/16"<br>24 7/8"<br>25 3/8"<br>25 7/8"<br>26 3/8"<br>26 1/2" | 12<br>Panels High     | 11 3/4"        | 12'              | 10'         | 10'        | 8'         |
| 24'-3"<br>24'-6"<br>25'-0"<br>25'-6"<br>26'-0"                 | 29'-2 1/2"<br>29'-5 3/4"<br>30'-0 1/4"<br>30'-6 3/4"<br>31'-1 1/4"             | 27'-8 1/4"<br>27'-11 1/2"<br>28'-6"<br>29'-0 1/2"<br>29'-7"                  | 42 1/4"<br>42 1/2"<br>43"<br>43 1/2"<br>44"                | 61 1/4"<br>61 3/4"<br>62 3/4"<br>63 3/4"<br>64 3/4"            | 24 3/4"<br>25"<br>25 1/2"<br>26"<br>26 1/2"                     | 13<br>Panels High     | 11 3/4"        | 10'              | 10'         | 10'        | 8'         |
| 26'-1"<br>26'-6"<br>27'-0"<br>27'-6"<br>28'-0"<br>28'-2"       | 31'-0 3/4"<br>31'-6"<br>31'-11 1/4"<br>32'-6 1/4"<br>32'-11 1/2"<br>33'-1 1/4" | 29'-8 1/2"<br>30'-1 3/4"<br>30'-7"<br>31'-2"<br>31'-7 1/4"<br>31'-9"         | 43 1/2"<br>43 3/4"<br>43"<br>44"<br>43 1/4"<br>43"         | 61 1/4"<br>62"<br>62 3/4"<br>63 3/4"<br>64 1/2"<br>64 3/4"     | 24 3/4"<br>25 1/8"<br>25 1/2"<br>26"<br>26 3/8"<br>26 1/2"      | 14<br>Panels High     | 11 3/4"        | 10'              | 8'          | 8'         | 8'         |
| 28'-3"<br>28'-6"<br>29'-0"<br>29'-6"<br>30'-0"                 | 33'-8 3/4"<br>34'-0"<br>34'-7 1/2"<br>34'-11 1/4"<br>35'-6 3/4"                | 32'-2 1/2"<br>32'-6 1/4"<br>33'-1 3/4"<br>33'-5 1/2"<br>34'-1"               | 48 1/2"<br>49 1/4"<br>50 3/4"<br>48 1/2"<br>50"            | 61 3/4"<br>62 1/4"<br>63 1/4"<br>63 3/4"<br>64 3/4"            | 25"<br>25 1/4"<br>25 3/4"<br>26"<br>26 1/2"                     | 15<br>Panels High     | 11 3/4"        | 10'              | 8'          | 8'         | N/A        |
| 30'-1"<br>30'-6"<br>31'-0"<br>31'-6"<br>32'-0"<br>32'-2"       | 35'-9"<br>36'-2"<br>36'-8"<br>37'-2"<br>37'-8"<br>37'-10"                      | 34'-2"<br>34'-7"<br>35'-1"<br>35'-7"<br>36'-1"<br>36'-3"                     | 49"<br>49"<br>49"<br>49"<br>49"<br>49"                     | 61 5/8"<br>62 1/4"<br>63"<br>63 3/4"<br>64 1/2"<br>64 3/4"     | 24 15/16"<br>25 1/4"<br>25 5/8"<br>26"<br>26 3/8"<br>26 1/2"    | 16<br>Panels High     | 11 3/4"        | 8'               | 8'          | 8'         | N/A        |
| 32'-3"<br>32'-6"<br>33'-0"<br>33'-6"<br>34'-0"<br>34'-2"       | 38'-5 1/2"<br>38'-9 3/4"<br>39'-2"<br>39'-6 1/4"<br>40'-2 3/4"<br>40'-2 3/4"   | 36'-9 3/4"<br>37'-2"<br>37'-6 1/4"<br>37'-10 1/2"<br>38'-7"<br>38'-7"        | 55 3/4"<br>57"<br>55 1/4"<br>53 1/2"<br>56"<br>54"         | 62 1/4"<br>62 3/4"<br>63 1/4"<br>63 3/4"<br>64 3/4"<br>64 3/4" | 25 1/4"<br>25 1/2"<br>25 3/4"<br>26"<br>26 1/2"<br>26 1/2"      | 17<br>Panels High     | 11 3/4"        | 8'               | 8'          | 8'         | N/A        |
| 34'-3"<br>34'-6"<br>35'-0"<br>35'-6"<br>36'-0"                 | 40'-5 1/2"<br>40'-10"<br>41'-4 3/4"<br>41'-9 1/4"<br>42'-4"                    | 38'-8 1/4"<br>39'-0 3/4"<br>39'-7 1/2"<br>40'-0"<br>40'-6 3/4"               | 53 1/4"<br>54 3/4"<br>55 1/2"<br>54"<br>54 3/4"            | 62"<br>62 1/2"<br>63 1/4"<br>63 3/4"<br>64 1/2"                | 25 1/8"<br>25 3/8"<br>25 3/4"<br>26"<br>26 3/8"                 | 18<br>Panels High     | 11 3/4"        | 8'               | 7'          | 7'         | N/A        |

\* Support steel heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# DIMENSIONS FOR STANDARD DRIVE SYSTEM PANELS ≤ 673mm

| BOTTOM OF POCKET "A"   | *BOTTOM OF SUPPORT STEEL "B"   | ACOUSTIC BARRIER "C"   | POCKET DEPTH "D"  | POCKET WIDTH "E"   | PANEL HEIGHT "F"  | NUMBER OF PANELS HIGH | WALL THICKNESS | MAX PANEL LENGTH |             |            |  |
|--|--|--|---|--|---|-----------------------|----------------|------------------|-------------|------------|--|
|  |  |  |   |  |   |                       |                | CLASSIC 51       | CLASSIC NRC | CLASSIC 55 | CLASSIC 60   |
| 2150<br>2200<br>2250<br>2300<br>2350<br>2400<br>2440   | 2855<br>2895<br>2955<br>3005<br>3055<br>3105<br>3130   | 2530<br>2575<br>2630<br>2680<br>2730<br>2785<br>2810   | 380<br>375<br>380<br>380<br>380<br>385<br>370   | 1455<br>1480<br>1505<br>1530<br>1555<br>1585<br>1595   | 603<br>614<br>629<br>641<br>654<br>667<br>673   | 4<br>Panels High      | 300            | 3655             | 3655        | 3655       | 3655   |
| 2450<br>2500<br>2550<br>2600<br>2650<br>2700<br>2750<br>2800<br>2850<br>2900<br>2950<br>3000<br>3050 | 3275<br>3325<br>3370<br>3420<br>3465<br>3515<br>3570<br>3615<br>3670<br>3720<br>3770<br>3825<br>3860 | 2930<br>2980<br>3025<br>3075<br>3125<br>3170<br>3225<br>3275<br>3330<br>3375<br>3425<br>3480<br>3520 | 505<br>505<br>500<br>500<br>500<br>495<br>500<br>500<br>505<br>500<br>505<br>505<br>495 | 1385<br>1405<br>1425<br>1445<br>1460<br>1480<br>1505<br>1520<br>1545<br>1565<br>1585<br>1605<br>1620 | 556<br>565<br>575<br>584<br>594<br>603<br>614<br>624<br>635<br>645<br>655<br>665<br>673 | 5<br>Panels High      | 300            | 3655             | 3655        | 3655       | 3655   |
| 3075<br>3200<br>3350<br>3500<br>3650<br>3660   | 3915<br>4045<br>4200<br>4350<br>4505<br>4505   | 3590<br>3725<br>3875<br>4030<br>4180<br>4180   | 515<br>525<br>525<br>530<br>530<br>520  | 1400<br>1445<br>1495<br>1545<br>1595<br>1595   | 575<br>597<br>622<br>648<br>673<br>673  | 6<br>Panels High      | 300            | 3655             | 3655        | 3655       | 3655   |
| 3680<br>3800<br>3950<br>4100<br>4250<br>4265   | 4635<br>4755<br>4910<br>5065<br>5210<br>5235   | 4290<br>4415<br>4570<br>4725<br>4870<br>4890   | 635<br>640<br>645<br>650<br>645<br>650  | 1450<br>1485<br>1530<br>1575<br>1615<br>1620   | 587<br>605<br>627<br>649<br>670<br>673  | 7<br>Panels High      | 300            | 3655             | 3655        | 3655       | 3655 for ≤ 3 panels wide, 3050 for ≥ 4 panels wide |
| 4295<br>4400<br>4550<br>4700<br>4850<br>4900   | 5265<br>5365<br>5520<br>5670<br>5825<br>5875   | 4940<br>5045<br>5195<br>5350<br>5500<br>5550   | 645<br>645<br>645<br>650<br>650<br>650  | 1445<br>1470<br>1505<br>1545<br>1585<br>1595   | 597<br>610<br>629<br>648<br>667<br>673  | 8<br>Panels High      | 300            | 3655             | 3655        | 3655       | 3655 for ≤ 3 panels wide, 3050 for ≥ 4 panels wide |
| 4930<br>5000<br>5150<br>5300<br>5450<br>5485   | 6155<br>6230<br>6385<br>6530<br>6685<br>6715   | 5720<br>5790<br>5945<br>6090<br>6245<br>6275   | 815<br>815<br>820<br>815<br>820<br>815  | 1495<br>1515<br>1550<br>1580<br>1615<br>1620   | 611<br>619<br>637<br>652<br>670<br>673  | 9<br>Panels High      | 300            | 3655             | 3655        | 3655       | 3655 for ≤ 3 panels wide, 3050 for ≥ 4 panels wide |
| 5510<br>5600<br>5750<br>5900<br>6050<br>6095   | 6725<br>6820<br>6965<br>7125<br>7265<br>7330   | 6330<br>6430<br>6570<br>6730<br>6870<br>6935   | 820<br>830<br>820<br>830<br>820<br>840  | 1500<br>1520<br>1550<br>1580<br>1610<br>1620   | 613<br>622<br>637<br>652<br>667<br>673  | 10<br>Panels High     | 300            | 3655             | 3655        | 3655       | 3050   |

\* Support steel heights indicated may vary with wall size and motor size.

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

| BOTTOM OF POCKET "A"                               | *BOTTOM OF SUPPORT STEEL "B"                       | ACOUSTIC BARRIER "C"                               | POCKET DEPTH "D"                             | POCKET WIDTH "E"                             | PANEL HEIGHT "F"                       | NUMBER OF PANELS HIGH | WALL THICKNESS | MAX PANEL LENGTH |             |            |            |
|--|--|--|--|--|--|-----------------------|----------------|------------------|-------------|------------|------------|
|  |  |  |  |  |  |                       |                | CLASSIC 51       | CLASSIC NRC | CLASSIC 55 | CLASSIC 60 |
| 6120<br>6200<br>6350<br>6500<br>6650<br>6705       | 7525<br>7560<br>7720<br>7860<br>8015<br>8085       | 7090<br>7125<br>7280<br>7420<br>7575<br>7645       | 995<br>950<br>955<br>945<br>950<br>965       | 1520<br>1525<br>1555<br>1580<br>1610<br>1620 | 622<br>625<br>640<br>652<br>667<br>673 | 11<br>Panels High     | 300            | 3655             | 3655        | 3655       | 2440       |
| 6730<br>6800<br>6950<br>7100<br>7250<br>7365       | 8070<br>8150<br>8300<br>8455<br>8605<br>8700       | 7680<br>7755<br>7905<br>8060<br>8210<br>8305       | 950<br>955<br>955<br>960<br>960<br>940       | 1515<br>1530<br>1555<br>1580<br>1605<br>1620 | 621<br>627<br>640<br>652<br>665<br>673 | 12<br>Panels High     | 300            | 3655             | 3050        | 3050       | 2440       |
| 7400<br>7550<br>7700<br>7850<br>7925               | 8925<br>9070<br>9235<br>9380<br>9480               | 8460<br>8605<br>8770<br>8915<br>9020               | 1085<br>1080<br>1095<br>1090<br>1120         | 1560<br>1585<br>1610<br>1630<br>1645         | 630<br>641<br>654<br>665<br>673        | 13<br>Panels High     | 300            | 3050             | 3050        | 3050       | 2440       |
| 7950<br>8000<br>8150<br>8300<br>8450<br>8585       | 9470<br>9515<br>9670<br>9825<br>9980<br>10090      | 9055<br>9100<br>9255<br>9410<br>9570<br>9680       | 1105<br>1100<br>1105<br>1110<br>1120<br>1095 | 1555<br>1565<br>1585<br>1610<br>1630<br>1645 | 629<br>632<br>643<br>654<br>665<br>673 | 14<br>Panels High     | 300            | 3050             | 2440        | 2440       | 2440       |
| 8600<br>8750<br>8900<br>9050<br>9145               | 10270<br>10410<br>10555<br>10720<br>10840          | 9820<br>9960<br>10105<br>10270<br>10390            | 1245<br>1235<br>1230<br>1245<br>1270         | 1570<br>1590<br>1610<br>1630<br>1645         | 635<br>645<br>654<br>665<br>673        | 15<br>Panels High     | 300            | 3050             | 2440        | 2440       | N/A        |
| 9170<br>9200<br>9350<br>9500<br>9650<br>9800       | 10900<br>10925<br>11075<br>11230<br>11380<br>11535 | 10415<br>10440<br>10595<br>10745<br>10900<br>11050 | 1245<br>1240<br>1245<br>1245<br>1250<br>1250 | 1565<br>1570<br>1590<br>1610<br>1625<br>1645 | 633<br>635<br>645<br>654<br>664<br>673 | 16<br>Panels High     | 300            | 2440             | 2440        | 2440       | N/A        |
| 9830<br>9950<br>10100<br>10250<br>10400<br>10415   | 11725<br>11805<br>11940<br>12100<br>12265<br>12265 | 11220<br>11305<br>11440<br>11600<br>11760<br>11760 | 1415<br>1380<br>1365<br>1375<br>1385<br>1370 | 1585<br>1590<br>1610<br>1625<br>1645<br>1645 | 641<br>646<br>654<br>664<br>673<br>673 | 17<br>Panels High     | 300            | 2440             | 2440        | 2440       | N/A        |
| 10440<br>10550<br>10700<br>10850<br>10975<br>11000 | 12335<br>12475<br>12620<br>12760<br>12905<br>12960 | 11795<br>11935<br>12080<br>12220<br>12365<br>12420 | 1355<br>1385<br>1380<br>1370<br>1390<br>1420 | 1575<br>1590<br>1610<br>1625<br>1640<br>1645 | 638<br>646<br>654<br>662<br>670<br>673 | 18<br>Panels High     | 300            | 2440             | 2135        | 2135       | N/A        |

**\* Support steel heights indicated may vary with wall size and motor size.**  
 This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# DIMENSIONS FOR MICRO DRIVE SYSTEM

## 4 Panels High

| BOTTOM OF POCKET "A"               | *BOTTOM OF SUPPORT STEEL "B"                           | ACOUSTIC BARRIER "C"                                 | POCKET DEPTH "D"                         | POCKET WIDTH "E"                         | PANEL HEIGHT "F"                               | WALL THICKNESS                           |
|------------------------------------|--|--|--|--|--|--|
| 7'-0"<br>7'-1"<br>7'-2"            | 8'-11 1/4"<br>9'-0 1/4"<br>9'-1 1/4"                   | 8'-2 1/4"<br>8'-3 1/4"<br>8'-4 1/4"                  | 14 1/4"<br>14 1/4"<br>14 1/4"            | 56 5/8"<br>57 1/8"<br>57 5/8"            | 23 7/16"<br>23 11/16"<br>23 15/16"             | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 7'-3"<br>7'-4"<br>7'-5"            | 9'-2 1/4"<br>9'-3 1/4"<br>9'-4 1/4"                    | 8'-5 1/4"<br>8'-6 1/4"<br>8'-7 1/4"                  | 14 1/4"<br>14 1/4"<br>14 1/4"            | 58 1/8"<br>58 5/8"<br>59 1/8"            | 24 3/16"<br>24 7/16"<br>24 11/16"              | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 7'-6"<br>7'-7"<br>7'-8"            | 9'-5 1/4"<br>9'-6 1/4"<br>9'-7 1/4"                    | 8'-8 1/4"<br>8'-9 1/4"<br>8'-10 1/4"                 | 14 1/4"<br>14 1/4"<br>14 1/4"            | 59 5/8"<br>60 1/8"<br>60 5/8"            | 24 15/16"<br>25 3/16"<br>25 7/16"              | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 7'-9"<br>7'-10"<br>7'-11"          | 9'-8 1/4"<br>9'-9 1/4"<br>9'-10 1/4"                   | 8'-11 1/4"<br>9'-0 1/4"<br>9'-1 1/4"                 | 14 1/4"<br>14 1/4"<br>14 1/4"            | 61 1/8"<br>61 5/8"<br>62 1/8"            | 25 11/16"<br>25 15/16"<br>26 3/16"             | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 8'-0"<br>8'-1"<br>8'-2"            | 9'-11 1/4"<br>10'-0 1/4"<br>10'-1 1/4"                 | 9'-2 1/4"<br>9'-3 1/4"<br>9'-4 1/4"                  | 14 1/4"<br>14 1/4"<br>14 1/4"            | 62 5/8"<br>63 1/8"<br>63 5/8"            | 26 7/16"<br>26 11/16"<br>26 15/16"             | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 8'-3"<br>8'-4"<br>8'-5"            | 10'-2 1/4"<br>10'-3 1/4"<br>10'-4 1/4"                 | 9'-5 1/4"<br>9'-6 1/4"<br>9'-7 1/4"                  | 14 1/4"<br>14 1/4"<br>14 1/4"            | 64 1/8"<br>64 5/8"<br>65 1/8"            | 27 3/16"<br>27 7/16"<br>27 11/16"              | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 8'-6"<br>8'-7"<br>8'-8"            | 10'-5 1/4"<br>10'-6 1/4"<br>10'-7 1/4"                 | 9'-8 1/4"<br>9'-9 1/4"<br>9'-10 1/4"                 | 14 1/4"<br>14 1/4"<br>14 1/4"            | 65 5/8"<br>66 1/8"<br>66 5/8"            | 27 15/16"<br>28 3/16"<br>28 7/16"              | 11 3/4"<br>11 3/4"<br>11 3/4"            |
| 8'-9"<br>8'-10"<br>8'-11"<br>9'-0" | 10'-8 1/4"<br>10'-9 1/4"<br>10'-10 1/4"<br>10'-11 1/4" | 9'-11 1/4"<br>10'-0 1/4"<br>10'-1 1/4"<br>10'-2 1/4" | 14 1/4"<br>14 1/4"<br>14 1/4"<br>14 1/4" | 67 1/8"<br>67 5/8"<br>68 1/8"<br>68 5/8" | 28 11/16"<br>28 15/16"<br>29 3/16"<br>29 7/16" | 11 3/4"<br>11 3/4"<br>11 3/4"<br>11 3/4" |

Walls ranging in length from 11'-10" long to 36'-0" long.

Walls greater than 24'-0" long - add an additional 1" onto the beam & hanger adjustment.

**\* Support steel heights indicated may vary with wall size and motor size.**

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.

# DIMENSIONS FOR MICRO DRIVE SYSTEM

## 4 Panels High

| BOTTOM OF POCKET "A"         | *BOTTOM OF SUPPORT STEEL "B" | ACOUSTIC BARRIER "C"         | POCKET DEPTH "D"         | POCKET WIDTH "E"             | PANEL HEIGHT "F"         | WALL THICKNESS           |
|------------------------------|------------------------------|------------------------------|--------------------------|------------------------------|--------------------------|--------------------------|
| 2135<br>2160<br>2185         | 2750<br>2775<br>2800         | 2500<br>2525<br>2550         | 365<br>365<br>365        | 1440<br>1450<br>1465         | 595<br>602<br>608        | 300<br>300<br>300        |
| 2210<br>2235<br>2260         | 2825<br>2850<br>2875         | 2575<br>2600<br>2625         | 365<br>365<br>365        | 1480<br>1490<br>1505         | 614<br>621<br>627        | 300<br>300<br>300        |
| 2285<br>2310<br>2335         | 2900<br>2925<br>2950         | 2650<br>2675<br>2700         | 365<br>365<br>365        | 1515<br>1530<br>1540         | 633<br>640<br>646        | 300<br>300<br>300        |
| 2360<br>2390<br>2415         | 2975<br>3005<br>3030         | 2725<br>2755<br>2780         | 365<br>365<br>365        | 1555<br>1565<br>1580         | 653<br>659<br>665        | 300<br>300<br>300        |
| 2440<br>2465<br>2490         | 3055<br>3080<br>3105         | 2805<br>2830<br>2855         | 365<br>365<br>365        | 1590<br>1605<br>1615         | 672<br>678<br>684        | 300<br>300<br>300        |
| 2515<br>2540<br>2565         | 3130<br>3155<br>3180         | 2880<br>2905<br>2930         | 365<br>365<br>365        | 1630<br>1640<br>1655         | 691<br>697<br>703        | 300<br>300<br>300        |
| 2590<br>2615<br>2640         | 3205<br>3230<br>3255         | 2955<br>2980<br>3005         | 365<br>365<br>365        | 1665<br>1680<br>1690         | 710<br>716<br>722        | 300<br>300<br>300        |
| 2665<br>2690<br>2715<br>2740 | 3280<br>3305<br>3330<br>3355 | 3030<br>3055<br>3080<br>3105 | 365<br>365<br>365<br>365 | 1705<br>1720<br>1730<br>1745 | 729<br>735<br>741<br>748 | 300<br>300<br>300<br>300 |

Measurements are based on a C200x80.

Walls ranging in length from 3605mm long to 10980mm long.

Walls greater than 7315mm long - add an additional 25mm onto the beam height.

**\* Support steel heights indicated may vary with wall size and motor size.**

This table is not for construction purposes. Refer to shop drawings for final build to dimensions.